EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	36444	(wave$1 electro near magnetic electromagnetic) near3 absorb$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/19 18:29
L2	219	screen near3 print$3 near method and 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/19 18:29
L3	1	screen near3 print$3 near method with resistance and 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/19 18:29
L4	21	screen near3 print$3 with resistance and 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/19 18:29
L7	228	ink near2 jet with resistance and 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/19 18:46
L8	1	ink near2 jet with resistance same 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/19 18:46
L9	1	ink near2 jet with resistance and 342/1-4.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/19 18:47

L10	1	ink near2 jet with resistance same 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/19 18:47
L11	0	ink near2 jet with resistance and 1 and radar$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/19 18:47
L12	0	ink near2 jet with resistance near2 layer $1 and radar$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/19 18:47
L13	266	ink near2 jet with resistance near2 layer $1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/19 18:48
S1	1	poppan.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 11:57
S2	58180	toppan.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 11:57
S3	27867	wave$1 near3 absorb$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 11:58
S4	271551	wave$1 near3 absorb$3 and conduct$3 near3 layer$1\ and dielectr$4 near3 layer$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 11:59

S5	523	wave$1 near3 absorb$3 and conduct$3 near3 layer$1 and dielectr$4 near3 layer$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 11:59
S6	158	wave$1 near3 absorb$3 and conduct$3 near3 layer$1 and dielectr$4 near3 layer$1 and pattern$1 near3 layer$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 12:01
S7	15	wave$1 near3 absorb$3 and pattern$1 near3 layer$1 with loop$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 12:20
S8	163	wave$1 near3 absorb$3 and surface near3 resistivity	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 12:21
S9	54	wave$1 near3 absorb$3 and surface near3 resistivity with conduct $5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 12:23
S10	19	wave$1 near3 absorb$3 and dielectr$4 near3 layer$1 with ratio	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 12:32
S11	56	wave$1 near3 absorb$3 and reflect$3 near3 layer$1 and dielectr$4 near3 layer$1 and pattern$1 near3 layer$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 12:46
S12	2	wave$1 near3 absorb$3 and reflect$3 near3 layer$1 and dielectr$4 near3 layer$1 and pattern$1 near3 layer$1 with loop$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 13:00

S13	6	wave$1 near3 absorb$3 and reflect$3 near3 layer$1 and dielectr$4 near3 layer$1 and pattern$1 near3 layer$1 with square$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 13:10
S14	8	("4948922" | "5214432" | "5561428" | "5576710").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 13:11
S15	94	(wave$1 electro near magnetic electromagnetic) near3 absorb$3 and reflect$3 near3 layer$1 and dielectr$4 near3 layer $1 and conduct$3 near3 layer$1 and protect$3 near3 layer$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 13:26
S16	110	(wave$1 electro near magnetic electromagnetic) near3 absorb$3 and (line$1 near2 width linewidth) and (center near2 line $1 centerline$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 14:02
S17	3456	(wave$1 electro near magnetic electromagnetic) near3 absorb$3 and (line$1 near2 width linewidth band$1 near2 width$1 bandwidth$1) and (center near2 line$1 centerline$1 frequenc$1 wavelength$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 14:12
S18	834	(wave$1 electro near magnetic electromagnetic) near3 absorb$3 and conduct $3 near3 layer$1 and dielectr$4 near3 layer $1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 14:13
S19	214	S17 and S18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 14:14

S20	5	wave$1 near3 absorb$3 and (conduct$3 near3 layer$1 and dielectr$4 near3 layer$1) with optical$4 near3 transparent	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 14:29
S21	2	wave$1 near3 absorb$3 and (conduct$3 near3 layer$1 and dielectr$4 near3 layer$1) with conduct$3 near3 oxide	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 14:36
S22	2097	(conduct$3 near3 layer $1 and dielectr$4 near3 layer$1) with conduct$3 near3 oxide	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 14:37
S23	6	S18 and S22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 14:37
S24	0	(conduct$3 near3 layer $1 and dielectr$4 near3 layer$1) with conduct$3 near3 oxide near3 ATO	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 14:40
S25	163	conduct$3 near3 oxide near3 ATO	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 14:40
S26	1	S18 and S25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 14:40
S27	2	(wave$1 electro near magnetic electromagnetic) near3 absorb$3 and conduct $3 near3 layer$1 and dielectr$4 near3 layer $1 and conduct$3 near3 layer$1 and dielectr$4 near3 layer $1 with carbon near3 powder	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 14:42

S28	106831	(wave$1 electro near magnetic electromagnetic) near3 a conduct$3 near3 layer $1 and dielectr$4 near3 layer$1 with carbon near3 powder	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 14:43
S29	5	(wave$1 electro near magnetic electromagnetic) near3 conduct$3 near3 layer $1 and dielectr$4 with carbon near3 powder	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 14:43
S30	1	(wave$1 electro near magnetic electromagnetic) near3 conduct$3 near3 layer $1 and dielectr$4 with carbon near3 powder same dielectric near3 foam	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 14:45
S31	2	(wave$1 electro near magnetic electromagnetic) near3 conduct$3 near3 layer $1 and dielectric near3 foam	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 14:45
S32	1022	(wave$1 electro near magnetic electromagnetic) and dielectric near3 foam	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 14:46
S33	4	(wave$1 electro near magnetic electromagnetic) and dielectric near3 foam same carbon near3 powder	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 14:46
S34	0	(wave$1 electro near magnetic electromagnetic) near3 conduct$3 near3 layer $1 with foam same carbon near3 powder	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 14:51
S35	2	(wave$1 electro near magnetic electromagnetic) near3 conduct$3 near3 layer $1 with carbon near3 powder	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 14:52

S36	24	(wave$1 electro near magnetic electromagnetic) near3 conduct$3 with carbon near3 powder	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 14:52
S37	8	(wave$1 electro near magnetic electromagnetic) near3 conduct$3 with higher with resistivi$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 03:54
S38	39	(wave$1 electro near magnetic electromagnetic) near3 conduct$3 with (great $3 high$3) with resistivi $5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 03:56
S40	284	(wave$1 electro near magnetic electromagnetic) near3 absorb$3 and conduct $3 near3 layer$1 and dielectr$4 near3 layer $1 and laminat$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 06:30
S41	54	(wave$1 electro near magnetic electromagnetic) near3 absorb$3 and conduct $3 near3 layer$1 same dielectr$4 near3 layer $1 same laminat$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 06:31
S42	0	(wave$1 electro near magnetic electromagnetic) near3 absorb$3 and conduct $3 near3 layer$1 with volume near3 restivit$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 06:43
S43	25	(wave$1 electro near magnetic electromagnetic) near3 absorb$3 and conduct $3 near3 layer$1 with volume near3 resistivit $5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 06:44
S44	76	(wave$1 electro near magnetic electromagnetic) near3 absorb$3 and conduct $3 with volume near3 resistivit$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 06:48

S45	156	wave$1 near3 absorb$3 and reflect$3 near3 layer$1 and dielectr$4 near3 layer$1 and conduct$3 near3 layer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 10:05
S46	2763123	(wave$1 electro near magnetic electromagnetic) near3 absorb$3 and glass with resin, with powder nearw (carbon silver nickel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 10:20
S47	16	(wave$1 electro near magnetic electromagnetic) near3 absorb$3 and glass with resin, with powder near3 (carbon silver nickel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 10:20
S48	13	(US-20070247349-$ or US-20070029675-$ or US-20040264350-$ or US-20050107870-$ or US-20040021597-$ or US-20080212304-$ or US-20040189612-$). did. or (US-5855988-$ or US-5576710-$ or US-4621012-$ or US-5325094-$ or US-7495181-$ or US-4726980-$).did.	US-PGPUB; USPAT	OR	ON	2009/07/16 19:06
S49	12	S48 and resin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 19:06
S50	13	(US-20070247349-$ or US-20070029675-$ or US-20040264350-$ or US-20050107870-$ or US-20040021597-$ or US-20080212304-$ or US-20040189612-$). did. or (US-5855988-$ or US-5576710-$ or US-4621012-$ or US-5325094-$ or US-7495181-$ or US-4726980-$).did.	US-PGPUB; USPAT	OR	ON	2009/07/17 03:47

S51	10	S50 and laminat$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/17 03:47

7/19/2009 7:35:07 PM
C:\Documents and Settings\tbrainard\My Documents\EAST\Workspaces\10598345.wsp